



## TECHNICAL SHEET ARPX SERIES

The trolley-mounted air cleaner of oil mist, fumes and micro-dust for machine tools, manual deburring and welding operations.



**THE ULTIMATE SOLUTION**

for the filtration of oil mist in metalworking workshops.

VISIT OUR WEB SITE  
[www.arfiltrazioni.com](http://www.arfiltrazioni.com)

SINCE  
**1995**

# STRONG POINTS

# SERIE ARPX



UNI 11304-3



Over 30,000 units  
installed!

Powerful!  
Up to 3200 m<sup>3</sup>/h  
Up to 1880 CCFM

100%

Units tested  
according to  
EN: 1822  
D.D.U.O 32  
UNI 11304-3

100%

With relevant test  
certificate  
for each unit

100%

Modular and  
flexible

99.95%

Filtration efficiency  
up to 99.95% HEPA  
H13  
0.15 / 0.3 μ particles

At **AR Filtrazioni** we are producers of a new generation of mist collectors for the re-condensation and purification of every type of atmospheric pollutant generated during the machining processes of machine tools (machining centers, lathes, grinders, laser and washing machines, etc.), working up to three shifts.

## ADVANTAGES




- Easy and simple maintenance, once a year; high operational reliability
- Robust mechanical parts, low space requirement
- Recovery of 80% of the re-consensed oil
- Total compliance with Italian and European regulations
- Energy saving of 800.00€/year for each air cleaner
- Reduction of CO<sub>2</sub> emissions up to 9,000 kg/year, for each air cleaner
- Protection of sensitive machine tool parts
- Health-conscious and environment-friendly

# WORKING PRINCIPLE

Suitable for the suction and purification of dust and oil mist generated in dry and wet processes, especially in cases where good air flow rates are necessary and in the absence of great loads of dust.

The series is suitable for cleaning particles of different granulometry through the simple use of interchangeable filters with different filtration performance.



## ARPX

### 1° STAGE CENTRIFUGE

#### SELF-CLEANING CENTRIFUGAL CONDENSER

- Self-cleaning
- Balanced (no vibration)
- It re-condenses 80% of the oil mist, thanks to the centrifugal effect

### 2° STAGE METALLIC FILTER

#### PREFILTRATION CELL IN GALVANIZED STEEL

European standards ISO EN 16890  
Filtration efficiency > 95%  
Particles with volume 3  $\mu$

- Washable (12/18 months)
- Thanks to the robust metal frame with a safety net, it can stop any potential chip

### 3° STAGE POCKET FILTER

#### COALESCENCE FILTER

European standards ISO EN 16890  
Filtration efficiency up to 95%  
Particles with volume 0.4  $\mu$

- Replacement every 6/18 months
- Glass-fibre fabric with a wide filtering surface
- In case of dust suction, it works as a container

### 4° STAGE COALESCENCE FILTER

#### BLACK PANEL FILTER BY COALESCENCE EFFECT

- Washable
- Diffusor
- Silencer

### 5° STAGE 2 HEPA FILTERS

#### FINAL FILTRATION WITH VERY HIGH (HEPA) EFFICIENCY

European standards EN1822  
Filtration efficiency up to 99.95%  
Particles with volume  $\geq 0.15/0.3\mu$

- Replacement every 24/36 months

### 6° STAGE ACTIVE CARBON CELL

#### OPTIONAL

For the reduction of odors, fumes, VOCs and formaldehyde.



# TECHNICAL DATA

## EACH UNIT IS EQUIPPED WITH:

- Low consumption motor **IE2 / IE3** class (ULCSA on request)
- **ABB / SIEMENS** overload cutout switch (ULCSA on request)
- Filter clogging detector; analogue/digital pressure gauge
- Drainage tube for the recovery of re-condensed coolant (about 80% if neat oil)
- Up to **HEPA H13** final filter, with very high filtration efficiency
- Dust collection bag

### AR 2PX

1500 / 1700 m<sup>3</sup>/h  
880 / 1000 CFM

### AR 3PX

2600 / 3300 m<sup>3</sup>/h  
1530 / 1940 CFM



## SUITABILITY FOR POLLUTANT

- DUST / MICRODUST
- MICRODUST / FUMES / OIL MIST
- VOC / FORMALDEHYDE / FUMES

- > SERIE ARPX
- > SERIE ARPX - AE - AEM
- > SERIE ARPX CA

## TECHNICAL DATA AND DIMENSIONS mm

MODEL ARPX	SUCTION INLET Ømm	MAX. AIR FLOW m <sup>3</sup> /h - CFM	POWER kW	TENSION FREQUENCY V Hz	NOISE dBa	WEIGHT Kg
AR2PX - AR2PX AE	150	2400 - 1410	1,5	230/400 50	72'	110 -120
AR2PX AE M	150	2400 - 1410	1,5	230/400 50	72'	130
AR2PX CA	150	2000 - 1170	1,5	230/400 50	72'	160
AR3PX - AR3PX AE	200	3200 - 1880	2,2	230/400 50	76'	120 -130
AR3PX AE M	200	3200 - 1880	2,2	230/400 50	76'	140
AR3PX CA	200	3000 - 1760	2,2	230/400 50	76'	170




In the AE/AE M version, each air cleaner is equipped with two high-efficiency filters (EPA E11 filter) – in accordance with European standards **EN 1822** – suitable for the abatement of micro-dusts and fumes, and therefore complying with the **Technical Attachment n.32** published in the official bulletin of Lombardy n.2 of 10th January 2012 - **D.d.u.o. n.12772** of 23/12/11 – concerning the emissions sucked and treated with a filter on the machine and re-introduced into the workplace.

In the CA version, the ARPXCA series is suitable for the purification of fumes, exhalations and smells generated by different types of processing (EDM, presses, induction hardening, ovens, molding, welding, etc.). The pollutant sucked in goes through a sequence of special filters, depositing almost all its solid particles. The final stage is constituted by two active carbon cells that abate gases, exhalations and smells.

In the N version, a standard predisposition allows the drainage of the re-condensed liquid, with a recovery of 78%.

The ARPX series is equipped with a low energy consumption I3 class motor, a cutout switch and a visual filter clogging detector.



DIMENSIONS mm	MODEL	A	B	H
	ARPX			
	AR2PX - AR2PX AE	700	950	1200
	AR2PX AE M	700	1400	1200
	AR2PX CA	700	950	1200
	AR3PX - AR3PX AE	700	950	1200
	AR3PX AE M	700	1400	1200
	AR3PX CA	700	950	1200

AR Filtrazioni reserves the right to make any change necessary to improve its products, at any moment and without notice.  
The technical data of this data sheet are not binding.

## OPTIONAL



ARTICULATED SUCTION ARM



WHEEL KIT



DOUBLE STAGE OF ABSOLUTE FILTRATION

For a long-lasting absolute filtration with sieve effect.



SELF-ADJUSTING CONTROL OF THE REQUIRED AIR FLOW RATE, THROUGH INVERTER

AR FILTRAZIONI Technology



2 ACTIVE CARBON CELLS

They eliminate odours, fume, VOCs and formaldehyde.

Total amount 40 Kg



DIGITAL FILTER CLOGGING CONTROL DEVICE

As an alternative to the analog pressure gauge, our digital pressure gauge sends a signal to the machine tool, alerting you to do maintenance.

## R&amp;D OFFICE

In addition, AR Filtrazioni stands for constant research. The R&D office is daily engaged in the research and development of innovative technical solutions for the purification of oil mists, fumes and microdusts generated during the machining processes.

All series of mist collectors and accessories have a "Made in Italy" certificate.

# INSTALLATION

At AR Filtrazioni we always offer turn-key solutions, installing the filters at the customer's premises thanks to our specialized personnel.

Otherwise, we leave complete autonomy to the customer: each system comes complete with an installation kit and an instruction manual, which make the installation of our filter units incredibly intuitive all over the world.



MIST COLLECTORS OF OIL MIST, FUME AND DUST FOR MACHINE TOOLS



AR FILTRAZIONI S.R.L.  
Via dell'Industria 59/61  
Bergamo BG 24126

+ 39 035 533822  
web@arfiltrazioni.it

www.arfiltrazioni.com  
www.mistcollector.com

# MAINTENANCE

## ARPX SERIES



**REPLACE / CLEANR SPARE FILTERS**  
when the red LED light turns on

This **maintenance program** shows average times, resulting from statistics elaborated on the basis of the thousands of systems that **AR Filtrazioni** maintains annually.

# REGULATIONS



EN 1822 - ISO 29463

UNI 11304-3

D.d.u.o. n.12772

- **UNI 11304-3:** Filtration units for oil mist, to be treated with a machine-mounted filter for the re-introduction of the air inside of the workplace
- European Standards **ISO EN 16890** (ex EN779) with a filtration efficiency of  $\geq 95\%$  - Particles with volume  $\geq 0.4 \mu$
- Final filtration stage according to **EN1822** and Italian standards, with High (EPA) or Very High (HEPA) filtration efficiency up to 99.95% of particles with  $0.15 / 0.3 \mu$  volume (micro-mists, micro-dusts, fume)
- Device to monitor filter conditions
- Overload cutout switch (in accordance with CE standards)
- Test certificate for each unit

## HEPA Filter up to H13 EN 1822

Very high efficiency filter

Filtration efficiency up to 99.95% of particles with volume  $\geq 0.15 / 0.3 \mu$  (micro-particles)



### REFERRING TO THE ITALIAN EFFECTIVE RULES:

The ARPX series complies with the **Technical Annex n.32** of 10 January 2012 - **D.d.u.o. n.12772** of 23/12/11 referring to extracted and filtered emissions by on-board filter with clean air returned to the workshop, through the top of the unit.



### FILTER UNIT TEST BY Studio Ambiente S.N.C

#### MIST COLLECTOR'S OUTPUT ON AUTOMATIC LATHE 6/32

Parameter	Determined values (mg/m <sup>3</sup> )	Reference levels (TLV/TWA) (mg/m <sup>3</sup> )
Mineral oil / oil mist	0.04	5
Room temperature 18.5 °C / 63.5 °F		

Specific sampling to evaluate the efficiency of the suction and filter system after periodical maintenance with filter replacement (ARNO 2CF filter unit no. 13 serial no. 04607/2007 with new ABSOLUTE HEPA filter) placed to control an automatic lathe for machining the bar in AVP with neat oil.

## VALUE

Forty-year-long  
know-how

Free consultancy

Free of charge, technical  
inspection and analysis

Sales and Assistance with  
non-binding quotation

After-sales  
Assistance

Installation

24 months warranty

Maintenance contract

## PLUS

- **Filters and spare parts supply time:** always in stock and ready for delivery.
- **Environmental and technical consultancy** free of charge, both during the order phase and throughout the life of the plant.
- **Delivery time:** 2 to 4 weeks
- **State-of-the-art technology** is not enough for AR Filtrazioni: the service capability and the proximity to our customers guarantee an optimal and technically sophisticated solution, even for special customer needs.
- **Test:** Do you have an important investment to make? Put one of our systems to the test! We offer a money back guarantee.

- **Design, study and realization of *ad hoc* industrial filtration systems** with an on-the-spot investigation and data collection of the various machine tools and study of the most suitable system for your needs.
- **Outsourcing maintenance.** We carry it out and we are responsible! We release a maintenance certificate with legal value for each one of our units.
- **Do you use non-original spare parts for your mist collectors? Do not lose the guarantee on the air cleaner and the filtering efficiency.** Contact us and find out how to save money.



## REFERENCES

Some customers who chose AR Filtrazioni mist collectors





CONTACT US

**AR FILTRAZIONI SRL**



Via Dell'Industria 59/61  
24126 Bergamo ITALY



+39 035 533822



web@arfiltrazioni.it

[www.arfiltrazioni.com](http://www.arfiltrazioni.com)

Member of CISQ Federation



CERTIFIED MANAGEMENT SYSTEM  
ISO 9001



[www.mistcollector.com](http://www.mistcollector.com)

[www.nebbieoleose.it](http://www.nebbieoleose.it)

[www.luftreinigerfueroelnebel.de](http://www.luftreinigerfueroelnebel.de)