



TECHNICAL DATA ECO SERIES

Mist collectors for neat oil, oil-water emulsion, fume and dust on machine tools



THE ULTIMATE SOLUTION

for the filtration of oil mist in metalworking workshops

VISIT OUR WEB SITE
www.arfiltrazioni.com

SINCE
1995

STRONG POINTS

ECO SERIES

Over 30.000
units installed

Compact!



Member of CISQ Federation



CE

UNI 11304-3



100%

Units tested
according to
EN: 1822
D.d.u.o.n 12772
UNI 11304-3

100%

With relevant test
certificate
for each unit

80%

Recovery of re-
condensed coolant,
which can be led
back into the ma-
chine tool

99.95%

Filtration efficiency
up to 99.95% HEPA
H13
Particles with
volume $\geq 0.15/0.3 \mu$

At **AR Filtrazioni** we are producers of a new generation of mist collectors for the re-condensation and purification of every type of atmospheric pollutant generated during machining processing of machine tools (machining centers, lathes, grinders, laser and washing machines, etc.), working up to three shifts.


ADVANTAGES



- Easy and simple maintenance, once a year; high operational reliability
- Robust mechanical parts, low space requirement
- Recovery of 80% of the re-condensed oil
- Total compliance with Italian and European regulations
- Energy saving of 800.00€/year for each unit with 1,700m³/h
- Reduction of CO₂ emissions up to 9,000 kg/year, for each air cleaner
- Protection of sensitive machine tool parts
- Health-conscious and environment-friendly

WORKING PRINCIPLE

The air cleaners of the ECO series are suitable for the extraction, re-condensation and purification of oil mist, fume, micro-mist and micro-dust generated by machine tools.



ECO F

1° STAGE CENTRIFUGE

SELF-CLEANING CENTRIFUGAL CONDENSER

- Self-cleaning
- Balanced (no vibration)
- It re-condenses 80% of the oil mist, thanks to the centrifugal effect

2° STAGE POCKET FILTER

COALESCENCE FILTER

European standards ISO EN 16890
Filtration efficiency up to 95%
Particles with volume 0.4 μ

- Replacement every 6/18 months
- Glass-fibre fabric with a wide filtering surface

3° STAGE HEPA FILTER

FINAL FILTRATION WITH HIGH (EPA) OR VERY HIGH (HEPA) EFFICIENCY

European standards EN1822
Filtration efficiency up to 99.95%
Particles with volume $\geq 0.15/0.3\mu$

- Replacement every 24/36 months



ECO

WITH

PRE-FILTER

WORKING PRINCIPLE ECO PF

X STAGE METAL FILTER

PREFILTRATION CELL IN GALVANIZED STEEL

European standards ISO EN 16890

Filtration efficiency > 95%

Particles with volume 3 μ

- Washable (12/18 months)
- Thanks to the robust metal frame with a safety net, it can stop any potential chip
- Its sieve effect exploits gravity to convey the re-condensed oil into the drainage tube

1° STAGE CENTRIFUGE

SELF-CLEANING CENTRIFUGAL CONDENSER

- Self-cleaning
- Balanced (no vibration)
- It re-condenses 80% of the oil mist, thanks to the centrifugal effect

2° STAGE POCKET FILTER

COALESCENCE FILTER

European standards ISO EN 16890

Filtration efficiency up to 95%

Particles with volume 0.4 μ

- Replacement every 6/18 months
- Glass-fibre fabric with a wide filtering surface

3° STAGE HEPA FILTER

FINAL FILTRATION WITH HIGH (EPA) or


VERY HIGH (HEPA) EFFICIENCY

European standards EN1822

Filtration efficiency up to 99.95%

Particles with volume $\geq 0.15/0.3 \mu$

- Replacement every 24/36 months



TECHNICAL DATA AIR FLOW AND POWER

EACH UNIT IS EQUIPPED WITH:

- **ABB / SIEMENS** overload cutout switch
- Filter clogging detector; analogue pressure gauge
- Drainage tube for the recovery of the recondensed coolant (about 80% if neat oil)
- Up to **HEPA H13** final filter with very high filtration efficiency



ECO
600m³/h / 350 CFM

F
550m³/h / 325 CFM

P
550m³/h / 325 CFM

PF
500m³/h / 300 CFM

ECO TWO
1000m³/h / 600 CFM

F
950m³/h / 550 CFM

P
950m³/h / 550 CFM

PF
850m³/h / 500 CFM

TECHNICAL DATA

MODEL	SUCTION INLET Ømm	MAX. AIRFLOW m ³ /h - CFM	POWER HP - kW	TENSION FREQUENCY V Hz	NOISE dBa	WEIGHT Kg - Lb
ECO	100	600 / 350	0,5 - 0,37	230 / 400 / 50	67	28 / 62
ECO F	100	550 / 325	0,5 - 0,37	230 / 400 / 50	67	33 / 73
ECO FA	100	550 / 325	0,5 - 0,37	230 / 400 / 50	67	40 / 88
ECO P	100	550 / 325	0,5 - 0,37	230 / 400 / 50	67	38 / 84
ECO PF	100	500 / 300	0,5 - 0,37	230 / 400 / 50	67	43 / 95
ECO PFA	100	500 / 300	0,5 - 0,37	230 / 400 / 50	67	50 / 110
ECO TWO	120	1000 / 600	0,75 - 0,55	230 / 400 / 50	68	40 / 88
ECO TWO F	120	950 / 550	0,75 - 0,55	230 / 400 / 50	68	48 / 106
ECO TWO P	120	950 / 550	0,75 - 0,55	230 / 400 / 50	68	57 / 126
ECO TWO PF	120	850 / 500	0,75 - 0,55	230 / 400 / 50	68	65 / 143

Air flow capacity may vary based on filters type and combination.

AIR CLEANERS OF OIL MIST, FUME AND DUST FOR MACHINE TOOLS

AR FILTRAZIONI S.R.L.
Via dell'Industria 59/61
Bergamo BG 24126





+ 39 035 533822
web@arfiltrazioni.it

www.arfiltrazioni.com
www.mistcollector.com







ECO - ECO F - ECO FA

ECO TWO - ECO TWO F



ECO P - ECO PF - ECO PFA

ECO TWO P - ECO TWO PF



6

DIMENSIONS mm	MODEL	A	B	C	H	I
	ECO					
ECO		370	-	150	460	225-Ø9
ECO F		370	-	150	560	225-Ø9
ECO FA		370	465	150	660	225-Ø9
ECO P		370	-	150	670	225-Ø9
ECO PF		370	-	150	770	225-Ø9
ECO PFA		370	465	150	870	225-Ø9
ECO TWO		425	-	150	705	360-Ø9
ECO TWO F		425	-	150	855	360-Ø9
ECO TWO P		425	-	150	885	360-Ø9
ECO TWO PF		425	-	150	1035	360-Ø9

AR Filtrazioni reserves the right to make any change necessary to improve its products, at any moment and without notice. The technical data of this data sheet are not binding.

AIR CLEANERS OF OIL MIST, FUME AND DUST FOR MACHINE TOOLS

AR FILTRAZIONI S.R.L.
Via dell'Industria 59/61
Bergamo BG 24126

+ 39 035 533822
web@arfiltrazioni.it

www.arfiltrazioni.com
www.mistcollector.com

OPTIONAL



OVERSIZED FA FILTER

Excellent in case of high quantities of oil mist and fumes.




HARTING PLUG

It connects the mist collector directly to the PLC of your machine tool.



DIGITAL FILTER CLOGGING CONTROL DEVICE

As an alternative to the analog pressure gauge, our digital pressure gauge sends a signal to the machine tool, alerting you to do maintenance.



ACTIVATED CARBON CELL

It eliminates odours, fume, VOCs and formaldehyde.



SELF-ADJUSTING CONTROL OF THE REQUIRED AIR FLOW RATE, THROUGH INVERTER

AR FILTRAZIONI Technology

R&D OFFICE

In addition, AR Filtrazioni stands for constant research. The R&D office is daily engaged in the research and development of innovative technical solutions for the purification of oil mists, fumes and micro-dusts generated during the machining processes of machine tools.

All series of mist collectors and accessories have a "Made in Italy" certificate.

INSTALLATION

At **AR Filtrazioni** we always offer turn-key solutions, installing the filters at the customer's premises thanks to our specialized personnel. Otherwise, we leave complete autonomy to the customer: each system comes complete with an installation kit and an instruction manual, which make the installation of our filter units incredibly intuitive all over the world.



AIR CLEANERS OF OIL MIST, FUME AND DUST FOR MACHINE TOOLS


AR FILTRAZIONI S.R.L.
Via dell'Industria 59/61
Bergamo BG 24126

+39 035 533822
web@arfiltrazioni.it

www.arfiltrazioni.com
www.mistcollector.com

MAINTENANCE

ECO SERIES



REPLACE/CLEAN SPARE FILTERS
when the red LED lights up

This **maintenance program** shows average times, resulting from statistics elaborated on the basis of the thousands of systems that **AR Filtrazioni** maintains annually.

VALUE

Forty-year-long
know-how

Free consultancy

Free of charge technical
inspection and analysis

Sales and Assistance with
non-binding quotation

After-sales
assistance

Installation

24 months warranty

Maintenance contract

PLUS

- **Filters and spare parts supply time:** always in stock and ready for delivery
- **Environmental and technical consultancy:** free of charge, both during the order phase and throughout the life of the plant
- **Delivery time:** 2 to 4 weeks
- **State-of-the-art technology** is not enough for AR FILTRAZIONI: the service capability and the proximity to our customers guarantee an optimal and technically sophisticated solution, even for special customer needs.
- **Test:** Do you have an important investment to make? Put one of our systems to the test! We offer a money back guarantee

- **Design, study and realization of *ad hoc* industrial filtration systems with an on-the-spot investigation and data collection of the various machine tools and study of the most suitable system for your needs.**
- **Outsourcing maintenance. We carry it out and we are responsible! We release a maintenance certificate with legal value for each one of our units.**
- **Do you use non-original spare parts for your mist collectors? Do not lose the guarantee on the air cleaner and the filtering efficiency. Contact us and find out how to save money.**



REFERENCES

Some customers who chose AR Filtrazioni mist collectors



AIR CLEANERS OF OIL MIST, FUME AND DUST FOR MACHINE TOOLS

AR FILTRAZIONI S.R.L.
Via dell'Industria 59/61
Bergamo BG 24126

+ 39 035 533822
web@arfiltrazioni.it

www.arfiltrazioni.com
www.mistcollector.com



CONTACT US

AR FILTRAZIONI SRL



Via Dell'Industria 59/61
24126 Bergamo ITALY



+39 035 533822



web@arfiltrazioni.it

Member of CISQ Federation



CERTIFIED MANAGEMENT SYSTEM
ISO 9001

www.arfiltrazioni.com

www.mistcollector.com

www.nebbieoleose.it

www.luftreinigerfueroelnebel.de

